



NARMADA CONTROL AUTHORITY, REGIONAL OFFICE HYDROLOGY DIRECTORATE, INDORE




Daily Status of Narmada River Basin at 08:00 hrs. on 16 September, 2021

| S. No | Name of Station | FRL/Danger level | Water Level | Live Storage as on today | Inflow/ # Discharge | Average Outflows during last 24 hrs. | | | | | RAINFALL | | Rainfall in other sites during the last 24 hours in mm | |
|-------|---------------------|------------------|-------------|--------------------------|---------------------|--------------------------------------|---------|-------|-------------------|------------------|----------|---------------|--|------|
| | | Meter | Metre | MCM | Cumec | Spillway Cumec | PH Rel. | | HR Rel. Cumec | Total Rel. Cumec | 24 Hrs | 2 fr. 15 June | | |
| | | | | | | | RBPH | CHPH | | | mm | mm | | |
| 1 | Bargi Reservoir | 422.76 | 421.80 | 2954 | 1170 | - | 93.9 | 26.3 | 69.7 | 189.8 | 19.0 | 343.0 | Amgaon | 75.2 |
| 2 | Burmanghat | 322.00 | 309.76 | - | 302 | | | | | | 21.6 | 684.0 | Kannod | 60.0 |
| 3 | Tawa Reservoir | 355.40 | 355.37 | 1938 | 1031 | 977.4 | - | 112.1 | 0.4 | 1089.9 | 1.4 | 875.4 | Handia | 47.6 |
| 4 | Hoshangabad | 293.83 | 286.92 | - | 1800 | | | | | | 27.8 | 767.6 | Bamni Banjar | 43.6 |
| 5 | ISP Reservoir | 262.13 | 254.74 | 4170 | 1989 | - | 108.6 | - | - | 108.6 | 30.0 | 620.6 | Udaynagar | 41.0 |
| 6 | OSP Reservoir | 196.60 | 196.12 | 242 | 194 | - | 147.1 | - | 0.0 | 147.1 | 6.2 | 603.2 | Barna | 39.0 |
| 7 | Maheshwar Reservoir | 162.76 | 146.00 | - | - | | | | | | 3.2 | 403.8 | Pachmarhi | 29.4 |
| 8 | SSP Reservoir | 138.68 | 120.86 | 1374 | 490 | - | 0.0 | 64.1 | 60.5 ³ | 64.1 | 3.2 | 567.8 | Betul bazar | 24.6 |

Power Generation from Sardar Sarovar Project **0.381 MU**

Average discharge measured at (i) Godbole Weir **618 (9:30hrs) Cusecs** Garudeshwar Weir **1328 Cusecs** Ex-MP Releases **5195 Cusecs**
(ii) Gujarat-Rajasthan Border **257 Cusecs** **12.71 MCM**



Note: # - The above information on inflow is indicative and on the basis of data provided by project Authorities. Evaporation in all the reservoirs needs to be included in water balancing.
- Water level, Discharge (at G&D site) & Live Storage are at 08:00 hrs on the day. Inflow (into reservoir), Spillway, PH & HR releases are 24 hours average of preceding day.
\$ - Water released through CHPH/IBPT is diverted to HR of NMC & Godbole gate for env. use

Copy forwarded to

- NCA : Executive Member, Member(Civil/Power/E&R), Chief Engineer, Director (Civil), Director (IA&R), SE (EMC), NCA, Indore
- GoMP : Vice Chairman, NVDA, Member (Engg), NVDA, Bhopal
- GoG : Director (Civil), SSNNL, Gandhi Nagar, Chief Engineer (D&V), SSNNL, Vadodara, SE (Design), SSNNL, Vadodara
- GoM : Chief Engineer, Tapi Irrigation Development Corporation Ltd, Jalgaon
- GoR : Chief Engineer, NMC, Sanchore

(R Parmar)
Assistant Director (HM)