



NARMADA CONTROL AUTHORITY, REGIONAL OFFICE

HYDROLOGY DIRECTORATE, INDORE


Daily Status of Narmada River Basin at 08:00 hrs. on 24 January, 2023



| S. No | Name of Station | FRL/Danger level Meter | Water Level Metre | Live Storage as on today MCM | % w.r.to Live Storage at FRL % | Inflow/ # Discharge Cumec | Average Outflows during last 24 hrs. | | | | | Remark |
|-------|---------------------|---------------------------|----------------------|------------------------------------|--------------------------------------|---------------------------------|--------------------------------------|---------|-------|--------------------|---------------------|--------|
| | | | | | | | Spillway Cumec | PH Rel. | | HR Rel. Cumec | Total Rel. Cumec | |
| | | | | | | | | RBPH | CHPH | | | |
| 1 | Bargi Reservoir | 422.76 | 421.20 | 2786 | 88% | * | - | 94.0 | - | 25.9 | 119.9 | |
| 2 | Burmanghat | 322.00 | 308.31 | - | | 82 | | | | | | |
| 3 | Tawa Reservoir | 355.40 | 351.25 | 1230 | 63% | 42 | - | - | 125.8 | 143.9 | 143.9 | |
| 4 | Hoshangabad | 293.83 | 284.69 | | | 190 | | | | | | |
| 5 | ISP Reservoir | 262.13 | 258.40 | 6448 | 69% | 186 | - | 281.3 ✓ | - | 85.0 | 366.3 | |
| 6 | OSP Reservoir | 196.60 | 194.53 | 67 | 29% | 383 | - | 404.5 ✓ | - | 77.8 | 482.3 | |
| 7 | Maheshwar Reservoir | 162.76 | 146.10 | - | | - | | | | | | |
| 8 | SSP Reservoir | 138.68 | 131.32 | 3525 | 61% | 458 | - | 119.9 | 644.3 | 672.2 ^s | 764.2 | |

Power Generation from Sardar Sarovar Project 8.483 MU's

Average discharge measured at (i) Godbole Weir 17.56 (1:00 hrs) Cumec Garudeshwar Weir 363.1 Cumec Ex-MP Releases 404.5 Cumec
(ii) Gujarat-Raj. Border 50.12 Cumec measured on 23.01.23 35.0 MCM



Note: # -The above information on inflow is indicative and on the basis of data provided by project Authorities. Evaporation in all the reservoirs needs to be included in water balancing.
Water level, Discharge (at G&D site) & Live Storage are at 08:00 hrs on the day. Inflow (into reservoir), Spillway, PH & HR releases are 24 hours average of preceding day.
^s -Water released through CHPH/IBPT is diverted to HR of NMC & Godbole gate for env. use.
* As the releases/outflows are not matching with that of change in storage, inflow is not reported.

Copy with Compliment to :-

- NCA : Executive Member, Member(Civil/Power/E&R), Chief Engineer, Director (Civil), Director (IA&R), SE (EMC), NCA, Indore.
- GoMP : Vice Chairman, NVDA, Member (Engg), NVDA, Bhopal
- GoG : Director (Civil), SSNNL, Gandhi Nagar, Chief Engineer (D&V), SSNNL, Vadodara, SE (Design), SSNNL, Vadodara
- GoM : Chief Engineer, Tapi Irrigation Development Corporation Ltd. Jalgaon.
- GoR : Chief Engineer, NMC, Sanchore

(Signature)
24.1.23
(R Parmar)
Deputy Director (HM)