



**(CHPH 5X50 MW)**

Unit No.	START		STOP		RUNNING HRS	Max. LOAD (MW)	GENERATION IN MUs	REMARKS
1	17-Aug-18	0:00:00	17-Aug-18	0:00:00	0:00:00	0.00	0.000	Today(i.e. 18.08.18), 1 CHPH M/c is running at 8:00 hrs.
2	17-Aug-18	0:00:00	17-Aug-18	0:00:00	0:00:00	0.00	0.000	
3	17-Aug-18	0:00:00	17-Aug-18	0:00:00	0:00:00	0.00	0.000	
4	17-Aug-18	0:00:00	17-Aug-18	0:00:00	0:00:00	0.00	0.000	
5	17-Aug-18	0:00:00	17-Aug-18	24:00:00	24:00:00	17.00	0.381	

**(RBPH 6X200 MW)**

Unit No.	START		STOP		RUNNING HRS	Max. LOAD (MW)	GENERATION IN MUs	REMARKS
1	17-Aug-18	0:00:00	17-Aug-18	0:00:00	0:00:00	0	0.000	Today(i.e. 18.08.18), no SSP-RBPH M/c is scheduled.
2	17-Aug-18	0:00:00	17-Aug-18	0:00:00	0:00:00	0	0.000	
3	17-Aug-18	0:00:00	17-Aug-18	0:00:00	0:00:00	0	0.000	
4	17-Aug-18	0:00:00	17-Aug-18	0:00:00	0:00:00	0	0.000	
5	17-Aug-18	0:00:00	17-Aug-18	0:00:00	0:00:00	0	0.000	
6	17-Aug-18	0:00:00	17-Aug-18	0:00:00	0:00:00	0	0.000	

	CHPH (5 X 50MW)	RBPH (6X200 MW)	SSP(CHPH+RBPH)
GROSS GENERATION IN(MUs)	0.381	0.000	0.381
CUMMULATIVE GROSS GEN. FOR MONTH (MUs)	7.566	0.000	7.566
PREVIOUS DAY ACTUAL RUNNING HOURS	24:00:00	0:00:00	
TODAY'S DC (Schedule) Planned (in Hours)	19:00:00	0:00:00	
DAY AHEAD (TOMMORROW) DC (in Hours)	24:00:00	0:00:00	

SSP hydrological data : at 08:00 Hrs on 18-Aug-18

DATA RECEIVED FROM FLOOD CELL

- RESERVOIR LEVEL IN Metres 113.57 Mtrs.
- AVERAGE INFLOW/QUANTUM IN Cusec(24 Hrs). 102414 Cusec 251 MCM
- AVERAGE TOTAL/QUANTUM OUTFLOW IN Cusec(24 Hrs). 3049 Cusec 7 MCM
- GOG WATER REQUIREMENT(Next Day) in Cusec

HR	GODBOLE
3363	627

- AVERAGE OUT FLOW IN Cusec(24 Hrs)

GODBOLE	OVER FLOW	HR	CHPH	RBPH	IBPT
623	0	3311	3049	0	0



for *Touhey*  
18/8  
AEE (EMC)  
NCA, INDORE

Copy to :

NCA Executive Member/Member (Power)/Member (Civil)/SE(EMC)/DD (Hydromet), NCA,INDORE.

GoMP. Member(Power),NVDA,Bhopal

GoMah. CE,WRD, Mumbai

GoG CE(E&M),SSNNL,Vadoadra

NOTE : All the data are based on 24 Hrs average. All Gen. data are gross gen. and may be lesser in WRPC REA.

1. 400kV SSP-Asoj,Kasor,Dhule -2 and Rajgarh-2 are in service at 10:00 hrs.

2. RBPH-SCO Running Detail:-