



(CHPH 5X50 MW)

Unit No.	START		STOP		RUNNING HRS	Max. LOAD (MW)	GENERATION IN MUS	REMARKS
1	14-Feb-18	0:00:00	14-Feb-18	24:00:00	24:00:00	19.00	0.454	Today(15.02.2018) Two SSP-CHPH units are running at 00:00 hrs. SSP-CHPH Unit no. 5 is under AOH from dt. 06.02.2018
2	14-Feb-18	0:00:00	14-Feb-18	24:00:00	24:00:00	19.00	0.432	
3	14-Feb-18	0:00:00	14-Feb-18	0:00:00	0:00:00	0.00	0.000	
4	14-Feb-18	0:00:00	14-Feb-18	0:00:00	0:00:00	0.00	0.000	
5	14-Feb-18	0:00:00	14-Feb-18	0:00:00	0:00:00	0.00	0.000	

(RBPH 6X200 MW)

Unit No.	START		STOP		RUNNING HRS	Max. LOAD (MW)	GENERATION IN MUS	REMARKS
1	14-Feb-18	0:00:00	14-Feb-18	0:00:00	0:00:00	0	0.000	Today(15.02.2018) No SSP-RBPH units are scheduled. SSP-RBPH Unit no. 2 is under AOH from dt. 14.02.2018
2	14-Feb-18	0:00:00	14-Feb-18	0:00:00	0:00:00	0	0.000	
3	14-Feb-18	0:00:00	14-Feb-18	0:00:00	0:00:00	0	0.000	
4	14-Feb-18	0:00:00	14-Feb-18	0:00:00	0:00:00	0	0.000	
5	14-Feb-18	0:00:00	14-Feb-18	0:00:00	0:00:00	0	0.000	
6	14-Feb-18	0:00:00	14-Feb-18	0:00:00	0:00:00	0	0.000	

					CHPH (5 X 50MW)	RBPH (6X200 MW)	SSP(CHPH+RBPH)
GROSS GENERATION IN(MUS)					0.886	0.000	0.886
CUMMULATIVE GROSS GEN. FOR MONTH (MUS)					12.877	0.000	12.877
PREVIOUS DAY ACTUAL RUNNING HOURS					48:00:00	0:00:00	
TODAY'S DC (Schedule) Planned (in Hours)					48:00:00	0:00:00	
DAY AHEAD (TOMMORROW) DC (in Hours)					48:00:00	0:00:00	

SSP hydrological data : at 08:00 Hrs on 15-Feb-18

DATA RECEIVED FROM FLOOD CELL.

- RESERVOIR LEVEL IN Metres 111.29 Mtrs.
- AVERAGE INFLOW/QUANTUM IN Cusec(24 Hrs). 6779 Cusec 17 MCM
- AVERAGE TOTAL/QUANTUM OUTFLOW IN Cusec(24 Hrs). 8287 Cusec 20 MCM
- GOG WATER REQUIREMENT(Next Day) in Cusec

HR	GODBOLE
7261	650

- AVERAGE OUT FLOW IN Cusec(24 Hrs)

GODBOLE	OVER FLOW	HR	CHPH	RBPH
605	0	7728	8287	0



નર્મદા નિયંત્રણ અધિકારી

AEE (EMC)
NCA, INDORE

Copy to :

- NCA Executive Member/Member (Power)/Member (Civil)/SE(EMC)/DD (Hydromet), NCA,INDORE.
- GoMP. Member(Power),NVDA,Bhopal
- GoMah. CE,WRD, Mumbai
- GoG CE(E&M),SSNNI,Vadodra

NOTE :i) All the data are based on 24 Hrs average. All Gen. data are gross gen. and may be lesser in WRPC REA.

ii) SSP-RBPH SCO Mode Operation:-

- unit no.1 :13:20 hrs on 14.02.18 to 16:25 hrs. on 14.02.2018.
- unit no.6 :22:10hrs on 14.02.18 to 05:45hrs on 15.02.2018.
- unit no.5 :22:30hrs on 14.02.18 to 05:50 hrs. on 15.02.2018.
- unit no.3 :00:30hrs on 15.02.18 to 06:15 hrs. on 15.02.2018