



(CHPH 5X50 MW)

Unit No.	START		STOP		RUNNING HRS	Max. LOAD (MW)	GENERATION IN MUs	REMARKS
1	7-Sep-18	0:00:00	7-Sep-18	24:00:00	24:00:00	41.00	0.956	Today(i.e. 08.09.18), 2 CHPH M/c is running at 08:00 hrs.
2	7-Sep-18	8:45:00	7-Sep-18	24:00:00	15:15:00	41.00	0.618	
3	7-Sep-18	0:00:00	7-Sep-18	0:00:00	0:00:00	0.00	0.000	
4	7-Sep-18	0:00:00	7-Sep-18	0:00:00	0:00:00	0.00	0.000	
5	7-Sep-18	0:00:00	7-Sep-18	0:00:00	0:00:00	0.00	0.000	

(RBPB 6X200 MW)

Unit No.	START		STOP		RUNNING HRS	Max. LOAD (MW)	GENERATION IN MUs	REMARKS
1	7-Sep-18	0:00:00	7-Sep-18	0:00:00	0:00:00	0	0.000	Today(i.e. 08.09.18), no SSP-RBPB M/c is scheduled.
2	7-Sep-18	0:00:00	7-Sep-18	0:00:00	0:00:00	0	0.000	
3	7-Sep-18	0:00:00	7-Sep-18	0:00:00	0:00:00	0	0.000	
4	7-Sep-18	0:00:00	7-Sep-18	0:00:00	0:00:00	0	0.000	
5	7-Sep-18	0:00:00	7-Sep-18	0:00:00	0:00:00	0	0.000	
6	7-Sep-18	0:00:00	7-Sep-18	0:00:00	0:00:00	0	0.000	

	CHPH (5 X 50MW)	RBPB (6X200 MW)	SSP(CHPH+RBPB)
GROSS GENERATION IN(MUs)	1.574	0.000	1.574
CUMMULATIVE GROSS GEN. FOR MONTH (MUs)	10.358	0.000	10.358
PREVIOUS DAY ACTUAL RUNNING HOURS	39:15:00	0:00:00	
TODAY'S DC (Schedule) Planned (in Hours)	24:00:00	0:00:00	
DAY AHEAD (TOMMORROW) DC (in Hours)	24:00:00	0:00:00	

SSP hydrological data : at 08:00 Hrs on 8-Sep-18

DATA RECEIVED FROM FLOOD CELL

- RESERVOIR LEVEL IN Metres 124.48 Mtrs.
- AVERAGE INFLOW/QUANTUM IN Cusec(24 Hrs). 9464 Cusec 23 MCM
- AVERAGE TOTAL/QUANTUM OUTFLOW IN Cusec(24 Hrs). 9922 Cusec 24 MCM
- GOG WATER REQUIREMENT(Next Day) in Cusec

HR	GODBOLE
9806	610

- AVERAGE OUT FLOW IN Cusec(24 Hrs)

GODBOLE	OVER FLOW	HR	CHPH	RBPB	IBPT
610	0	9806	9922	0	0



नर्मदा नियंत्रण प्राधिकरण

*Arjun*  
08/09/18  
AEE (EMC)  
NCA, INDORE

Copy to :

NCA Executive Member/Member (Power)/Member (Civil)/SE(EMC)/DD (Hydromet), NCA,INDORE.

GoMP. Member(Power),NVDA,Bhopal

GoMah. CE,WRD, Mumbai

GoG CE(E&M),SSNNL,Vadodra

NOTE : All the data are based on 24 Hrs average. All Gen. data are gross gen. and may be lesser in WRPC REA.

1. 400kV SSP-Asoj, Kasor, Dhule -1 and Rajgarh-2 are in service at 10:00 hrs.

2. RBPB-SCO Running Detail:-

Unit No.6: 01:25hrs on 06.09.18 to 06:20 hrs on 07.09.18.