



**NARMADA CONTROL AUTHORITY, REGIONAL OFFICE
HYDROLOGY DIRECTORATE, INDORE**


Daily Status of Narmada River Basin at 08:00 hrs. on 17 October, 2019



जल संयोजन - जल संयोजन

S. No	Name of Station	FRL/Danger level Meter	Water Level Metre	Live Storage as on today MCM	Inflow/ # Discharge Cumec	Average Outflows during last 24 hrs.				RAINFALL		Rainfall in other sites during the last 24 hours in mm	
						Spillway Cumec	PH Rel. Cumec	HR Rel. Cumec	Total Rel. Cumec	last 24 hr	Σ fr. 15 Jun.		
										mm	mm		
1	Bargi Reservoir	422.76	422.65	3158	91	-	191.9	20.4	212.3	-	967.9	-	-
2	Burmanghat	322.00	309.83	-	317	-				-	1408.6	-	-
3	Tawa Reservoir	355.40	355.52	1968	112	-	33.7	0.4	34.1	-	1716.0	-	-
4	Hoshangabad	293.83	285.49		600	-				-	1622.8	-	-
5	ISP Reservoir	262.13	262.05	9627	887	-	512.7	-	512.7	-	994.2	-	-
6	OSP Reservoir	196.60	192.91	-	568	-	525.5	21.6	547.1	-	1074.9	-	-
7	Maheshwar Reservoir	162.76	146.60	-	-	-	-	-	-	-	993.0	-	-
8	SSP Reservoir	138.68	138.14	5586	549	-	937.2 *	164.2 [§]	937.2	-	1643.8	-	-
Power Generation from Sardar Sarovar Project								26.012 MUs					

Average discharge measured at (i) Godbole Weir 526 10 hrs Garudeshwar Weir 27814 Cusecs Ex-MP Releases 18558 Cusecs
(ii) Gujarat-Rajasthan Border 409 Cusecs 47.27 MCM



Note: # - Water level, Discharge (at G&D site) & Live Storage are at 08:00 hrs on the day. # - Inflow (into reservoir), Spillway, PH & HR releases are 24 hours average of preceding day.
§ - Water released through CHPH/IBPT is diverted to HR of NMC & Godbole gate for env. use. ** RBPH 770.07 Cumec CHPH 167.15 Cumec

Copy forwarded to

- NCA : Executive Member, Member(Civil/Power/E&R), Chief Engineer, Director (Civil), Director (IA&R), SE (EMC), NCA, Indore.
- GoMP : Vice Chairman, NVDA, Member (Engg), NVDA, Bhopal
- GoG : Director (Civil), SSNNL, Gandhi Nagar, Chief Engineer (D&V), SSNNL, Vadodara, SE (Design), SSNNL, Vadodara
- GoM : Chief Engineer, Tapi Irrigation Development Corporation Ltd. Jalgaon.
- GoR : Chief Engineer, NMC, Sanchore

15/10/19
(R Parmar)
Assistant Director (HM)



Narmada Control Authority (Hydrology Directorate, Indore)

DAILY RAINFALL DATA (mm) MONSOON 2019 (8.00 AM) Date :- 17.10.2019

Sl.No	Date / Station name	8-Oct	9-Oct	10-Oct	11-Oct	12-Oct	13-Oct	14-Oct	15-Oct	16-Oct	17-Oct	Total
1	Dindori	-	-	-	-	-	-	-	-	-	-	1355.5
2	Bamnibanjar	-	-	-	-	-	-	-	-	-	-	1215.0
3	Amgaon	-	-	-	-	-	-	-	-	-	-	1480.2
4	Bargi	-	-	-	-	-	-	-	-	-	-	967.9
5	Barmanghat	-	-	-	-	-	-	-	-	-	-	1408.6
6	Sandia	-	-	-	-	-	9.4	-	-	-	-	1692.8
7	Barna	5.5	-	-	-	-	-	-	-	-	-	1492.0
8	Pachmarhi	-	-	-	-	-	-	-	-	-	-	1998.8
9	Tawakati	-	-	-	-	-	-	-	-	-	-	1278.6
10	Betul bazar	-	-	-	-	-	-	-	-	-	-	2097.8
11	Tawa Dam	-	-	-	-	-	-	-	-	-	-	1716.0
12	Hoshangabad	-	-	-	-	-	-	-	-	-	-	1622.8
13	Kolar	18.0	-	-	-	-	-	-	-	-	-	1276.0
14	Handia	-	-	-	-	-	-	-	-	-	-	1410.2
15	ISP	5.0	-	-	-	-	-	-	-	-	-	994.2
16	OSP	-	-	-	-	-	-	-	-	-	-	1074.0
17	Uday Nagar	3.2	-	-	-	-	-	-	-	-	-	1311.2
18	Kannod	5.0	-	-	-	-	-	-	-	-	-	1347.4
19	New Harsud	-	-	-	-	-	-	-	-	-	-	1113.4
20	Kogaon	-	-	-	-	-	-	-	-	-	-	748.1
21	Maheshwar	-	-	-	-	-	-	-	-	-	-	993.0
22	Dharpuri	-	-	-	-	-	-	-	-	-	-	1073.0
23	Man	-	-	-	-	-	-	-	-	-	-	1049.0
24	Khandwa	-	-	-	-	-	-	-	-	-	-	869.2
25	Rajpur	-	-	-	-	-	-	-	-	-	-	1824.4
26	Khargone	-	-	-	-	-	-	-	-	-	-	1025.5
27	Sendhwa	-	-	-	-	-	-	-	-	-	-	1019.2
28	Donchia	-	-	-	-	-	-	-	-	-	-	1107.4
29	Barwani	-	-	-	-	-	-	-	-	-	-	979.2
30	Alirajpur	-	-	-	-	-	-	-	-	-	-	1708.8
31	Dhulsar	-	-	-	-	-	-	-	-	-	-	1135.0
32	Pati	-	-	-	-	-	-	-	-	-	-	1279.2
33	Jobat	-	-	-	-	-	-	-	-	-	-	1135.4
34	Toranmal	36.8	-	-	-	-	-	-	-	-	-	2903.0
35	Dhadgaon	-	-	-	-	-	-	-	-	-	-	1758.4
36	Molgi	-	12.0	-	-	-	-	-	-	-	-	2126.8
37	SSP	-	17.6	-	-	-	-	-	-	-	-	1643.8
38	Silu/Sanchore	-	-	-	-	-	-	-	-	-	-	250.0

Copy Forwarded to :-

NCA : Executive Member/ Member(Civil) & Director (Civil), NCA, Indore

GoMP : Member (Engg), NVDA, Bhopal.

GoG : CE (D&V), SSNNL, Vadodara, SE (D), SSNNL, Vadodara

GoM : Chief Engineer, Tapi Irrigation Development Corporation Ltd. Jalgaon.

GoR : Chief Engineer, NMC, Sanchore, Rajasthan.


(R Parmar)

Assistant Director (HM)